



# Life Science Laboratories, Inc.

---

Rod Lauzon  
Westville Landfill  
936 CR 19  
Constable, NY 12926

Phone: (518) 358-2725  
FAX: (518) 358-4180

## Laboratory Analysis Report Prepared For Westville Landfill

Client Project ID:

**Westville Landfill - Routine Parameters**

LSL Project ID: **2214197**

Receive Date/Time: 09/01/22 14:46

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody and the Sample Receipt documents submitted with these samples are considered by LSL to be an appendix of this report and may contain data qualifiers and specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

LSL Central Lab  
5854 Butternut Drive  
East Syracuse, NY 13057  
Tel. (315) 445-1900  
Fax (315) 445-1104  
NYS DOH ELAP #10248

LSL North Lab  
131 St. Lawrence Avenue  
Waddington, NY 13694  
Tel. (315) 388-4476  
Fax (315) 388-4061  
NYS DOH ELAP #10900

LSL Finger Lakes Lab  
16 N. Main St., PO Box 424  
Wayland, NY 14572  
Tel. (585) 213-4090  
Fax (585) 213-4192  
NYS DOH ELAP #11667

LSL Southern Tier Office  
Cuba, NY  
Tel. (585) 209-4032  
  
LSL MidLakes Office  
Canandaigua, NY  
Tel. (585) 728-3320

Reviewed by:

Date:

10/17/22

David J. Prichard, Director of Tech. Services

A copy of this report was sent to: *Aaron B. Jarvis, P.E.*  
*Tisdell Associates*

**- - LABORATORY ANALYSIS REPORT - -**

*Westville Landfill Constable, NY*

Sample ID: MW-1 LSL Sample ID: 2214197-001

Location:

Sampled: 09/01/22 12:45 Sampled By: KT

Sample Matrix: NPW

Analytical Method	Result	Prep Method	Prep Date	Analysis Date & Time	Analyst Initials
Analyte	Units				
(1) EPA 351.2, Rev. 2.0 (1993) TKN as N Total Kjeldahl Nitrogen	0.25 mg/l		9/15/22	9/16/22	EMW
(1) EPA 420.1 (Rev. 1978) Recoverable Phenolics LL Phenolics, Total Recoverable	<0.005 mg/l		9/27/22	9/29/22	EMW
(1) EPA 6010C Metals Please refer to the next page		EPA 3005A			MT
(1) EPA 6010C Soluble Metals Please refer to the next page		EPA 3005A			MT
<i>The NYS DOH ELAP does not offer certification for this method.</i>					
(1) EPA Method 300.0 A Bromide	<0.1 mg/l			9/2/22 15:47	MT
Chloride	88 mg/l			9/20/22 10:17	MT
Nitrate as N	2.5 mg/l			9/2/22 15:47	MT
Sulfate	15 mg/l			9/2/22 15:47	MT
(2) Filtering Fee Laboratory filtration charge				9/1/22	NJW
(1) Hach 8000 (1979)COD Chemical Oxygen Demand	29 mg/l		9/14/22	9/15/22	RW
(1) SM 2320B-2011 Alkalinity as CaCO3 at pH 4.5 Alkalinity	72 mg/l			9/15/22	RW
(2) SM 2540 C-2015 Total Dissolved Solids Total Dissolved Solids @ 180 C	260 mg/l			9/5/22	NJW/AJM
(2) SM 5210B-2016 BOD-5 Day Biochemical Oxygen Demand, 5 Day	<4 mg/l			9/1/22 17:03	AJM
(1) SM 5310B-2014 TOC Total Organic Carbon	2.5 mg/l			9/16/22	RW
(1) Undistilled Ammonia, EPA 350.1, Rev 2.0 (1993) Ammonia as N	<0.1 mg/l			9/12/22	EMW

Analysis performed at: (1) LSL Central Lab, (2) LSL North Lab, (3) LSL Finger Lakes Lab



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

StateCertNo: 10248

**CLIENT:** Life Science Labs-LIMS

**Lab ID:** 2214197-001E

**Project:** Westville Landfill

**Client Sample ID:** MW-1

**Location:**

**W Order:** 2214197

**Collection Date:** 09/01/22 12:45

**Matrix:** NPW

**Date Received:** 09/01/22 14:46

Analyte	Result	Qual	PQL Units	DF	Date Analyzed
<b>TOTAL METALS BY ICP</b>			<b>SW6010C</b>		<b>(SW3005A)</b>
Cadmium	ND		0.010 mg/L	1	09/30/22 12:51
Calcium	26		1.0 mg/L	1	09/30/22 12:51
Iron	13		0.050 mg/L	1	09/30/22 12:51
Lead	ND		0.010 mg/L	1	09/30/22 12:51
Magnesium	10		1.0 mg/L	1	09/30/22 12:51
Manganese	0.38		0.010 mg/L	1	09/30/22 12:51
Potassium	3.5		1.0 mg/L	1	10/05/22 12:03
Sodium	42		1.0 mg/L	1	10/05/22 12:03

<b>METALS HARDNESS</b>			<b>SM 2340B-2011</b>		<b>(SW3005A)</b>
Hardness, Calcium/Magnesium (As CaCO3)	110		6.6 mg/L	1	09/30/22

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

StateCertNo: 10248

CLIENT: Life Science Labs-LIMS

Lab ID: 2214197-001H

Project: Westville Landfill

Client Sample ID: MW-1 (Filtered)

Location:

W Order: 2214197

Collection Date: 09/01/22 12:45

Matrix: NPW

Date Received: 09/01/22 14:46

Analyte	Result	Qual	PQL Units	DF	Date Analyzed
<b>TOTAL METALS BY ICP</b>			<b>SWG010C</b>		<b>(SW3005A)</b>
Cadmium	ND		0.010 mg/L	1	09/30/22 13:22
Calcium	24		1.0 mg/L	1	09/30/22 13:22
Iron	ND		0.050 mg/L	1	09/30/22 13:22
Lead	ND		0.010 mg/L	1	09/30/22 13:22
Magnesium	8.7		1.0 mg/L	1	09/30/22 13:22
Manganese	ND		0.010 mg/L	1	09/30/22 13:22
Potassium	1.1		1.0 mg/L	1	10/05/22 12:20
Sodium	40		1.0 mg/L	1	10/05/22 12:20

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits

# -- LABORATORY ANALYSIS REPORT --

*Westville Landfill    Constable, NY*

Sample ID:	MW-2	LSL Sample ID:	2214197-002
Location:			
Sampled:	09/01/22 11:30	Sampled By:	KT
Sample Matrix:	NPW		

Analytical Method Analyte	Result	Prep Method Units	Prep Date	Analysis Date & Time	Analyst Initials
(1) EPA 351.2, Rev. 2.0 (1993) TKN as N <b>Total Kjeldahl Nitrogen</b>	0.23	mg/l	9/15/22	9/16/22	EMW
(1) EPA 420.1 (Rev. 1978) Recoverable Phenolics LL <b>Phenolics, Total Recoverable</b>	<0.005	mg/l	9/27/22	9/29/22	EMW
(1) EPA 6010C Metals Please refer to the next page		EPA 3005A			MT
(1) EPA 6010C Soluble Metals Please refer to the next page		EPA 3005A			MT
<i>The NYS DOH ELAP does not offer certification for this method.</i>					
(1) EPA Method 300.0 A Bromide	<0.1	mg/l		9/2/22 16:32	MT
Chloride	10	mg/l		9/2/22 16:32	MT
Nitrate as N	0.83	mg/l		9/2/22 16:32	MT
Sulfate	4.9	mg/l		9/2/22 16:32	MT
(2) Filtering Fee Laboratory filtration charge				9/1/22	NJW
(1) Hach 8000 (1979)COD Chemical Oxygen Demand	25	mg/l	9/14/22	9/15/22	RW
(1) SM 2320B-2011 Alkalinity as CaCO <sub>3</sub> at pH 4.5 Alkalinity	50	mg/l		9/15/22	RW
(2) SM 2540 C-2015 Total Dissolved Solids Total Dissolved Solids @ 180 C	110	mg/l		9/5/22	NJW/AJM
(2) SM 5210B-2016 BOD-5 Day Biochemical Oxygen Demand, 5 Day	<4	mg/l		9/1/22 17:08	AJM
(1) SM 5310B-2014 TOC Total Organic Carbon	1.5	mg/l		9/16/22	RW
(1) Undistilled Ammonia, EPA 350.1, Rev 2.0 (1993) Ammonia as N	<0.1	mg/l		9/12/22	EMW



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

StateCertNo: 10248

**CLIENT:** Life Science Labs-LIMS

**Lab ID:** 2214197-002E

**Project:** Westville Landfill

**Client Sample ID:** MW-2

**Location:**

**W Order:** 2214197

**Collection Date:** 09/01/22 11:30

**Matrix:** NPW

**Date Received:** 09/01/22 14:46

Analyte	Result	Qual	PQL Units	DF	Date Analyzed
<b>TOTAL METALS BY ICP</b>			<b>SW6010C</b>		<b>(SW3005A)</b>
Cadmium	ND		0.010 mg/L	1	09/30/22 13:27
Calcium	17		1.0 mg/L	1	09/30/22 13:27
Iron	8.9		0.050 mg/L	1	09/30/22 13:27
Lead	ND		0.010 mg/L	1	09/30/22 13:27
Magnesium	6.0		1.0 mg/L	1	09/30/22 13:27
Manganese	0.44		0.010 mg/L	1	09/30/22 13:27
Potassium	3.7		1.0 mg/L	1	10/05/22 12:26
Sodium	9.0		1.0 mg/L	1	10/05/22 12:26

**METALS HARDNESS**

**SM 2340B-2011**

**(SW3005A)**

Hardness, Calcium/Magnesium (As CaCO3)	66		6.6 mg/L	1	09/30/22
--	----	--	----------	---	----------

<b>Qualifiers:</b>	* Value may exceed the Acceptable Level	B Analyte detected in the associated Method Blank
	E Value exceeds the instrument calibration range	H Holding times for preparation or analysis exceeded
	J Analyte detected below the PQL	ND Not Detected at the Practical Quantitation Limit (PQL)
	P Prim./Conf. column %D or RPD exceeds limit	S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

StateCertNo: 10248

**CLIENT:** Life Science Labs-LIMS

**Lab ID:** 2214197-002H

**Project:** Westville Landfill

**Client Sample ID:** MW-2 (Filtered)

**Location:**

**W Order:** 2214197

**Collection Date:** 09/01/22 11:30

**Matrix:** NPW

**Date Received:** 09/01/22 14:46

Analyte	Result	Qual	PQL Units	DF	Date Analyzed
<b>TOTAL METALS BY ICP</b>			<b>SW6010C</b>		<b>(SW3005A)</b>
Cadmium	ND		0.010 mg/L	1	09/30/22 13:32
Calcium	14		1.0 mg/L	1	09/30/22 13:32
Iron	0.086		0.050 mg/L	1	09/30/22 13:32
Lead	ND		0.010 mg/L	1	09/30/22 13:32
Magnesium	4.0		1.0 mg/L	1	09/30/22 13:32
Manganese	ND		0.010 mg/L	1	09/30/22 13:32
Potassium	1.9		1.0 mg/L	1	10/05/22 12:31
Sodium	9.4		1.0 mg/L	1	10/05/22 12:31

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

# -- LABORATORY ANALYSIS REPORT --

*Westville Landfill    Constable, NY*

<b>Sample ID:</b> MW-3		<b>LSL Sample ID:</b> 2214197-003	
<b>Location:</b>			
<b>Sampled:</b> 09/01/22 12:15	<b>Sampled By:</b> KT		
<b>Sample Matrix:</b> NPW			

Analytical Method Analyte	Result	Prep Method Units	Prep Date	Analysis Date & Time	Analyst Initials
(1) EPA 351.2, Rev. 2.0 (1993) TKN as N <b>Total Kjeldahl Nitrogen</b>	0.99	mg/l	9/15/22	9/16/22	EMW
(1) EPA 420.1 (Rev. 1978) Recoverable Phenolics LL <b>Phenolics, Total Recoverable</b>	<0.005	mg/l	9/27/22	9/29/22	EMW
(1) EPA 6010C Metals <b>Please refer to the next page</b>		EPA 3005A			MT
(1) EPA 6010C Soluble Metals <b>Please refer to the next page</b>		EPA 3005A			MT
<i>The NYS DOH ELAP does not offer certification for this method.</i>					
(1) EPA Method 300.0 A <b>Bromide</b>	<0.1	mg/l		9/2/22 17:17	MT
<b>Chloride</b>	<1	mg/l		9/2/22 17:17	MT
<b>Nitrate as N</b>	<0.1	mg/l		9/2/22 17:17	MT
<b>Sulfate</b>	5.1	mg/l		9/2/22 17:17	MT
(2) Filtering Fee <b>Laboratory filtration charge</b>				9/1/22	NJW
(1) Hach 8000 (1979)COD <b>Chemical Oxygen Demand</b>	26	mg/l	9/14/22	9/15/22	RW
(1) SM 2320B-2011 Alkalinity as CaCO3 at pH 4.5 <b>Alkalinity</b>	50	mg/l		9/15/22	RW
(2) SM 2540 C-2015 Total Dissolved Solids <b>Total Dissolved Solids @ 180 C</b>	90	mg/l		9/5/22	NJW/AJM
(2) SM 5210B-2016 BOD-5 Day <b>Biochemical Oxygen Demand, 5 Day</b>	6.2	mg/l		9/1/22 17:11	AJM
(1) SM 5310B-2014 TOC <b>Total Organic Carbon</b>	4.6	mg/l		9/16/22	RW
(1) Undistilled Ammonia, EPA 350.1, Rev 2.0 (1993) <b>Ammonia as N</b>	0.37	mg/l		9/12/22	EMW

Analysis performed at: (1) LSL Central Lab, (2) LSL North Lab, (3) LSL Finger Lakes Lab





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

StateCertNo: 10248

**CLIENT:** Life Science Labs-LIMS

**Lab ID:** 2214197-003E

**Project:** Westville Landfill

**Client Sample ID:** MW-3

**Location:**

**W Order:** 2214197

**Collection Date:** 09/01/22 12:15

**Matrix:** NPW

**Date Received:** 09/01/22 14:46

Analyte	Result	Qual	PQL Units	DF	Date Analyzed
<b>TOTAL METALS BY ICP</b>			<b>SW6010C</b>		<b>(SW3005A)</b>
Cadmium	ND		0.010 mg/L	1	09/30/22 13:37
Calcium	15		1.0 mg/L	1	09/30/22 13:37
Iron	31		0.050 mg/L	1	09/30/22 13:37
Lead	ND		0.010 mg/L	1	09/30/22 13:37
Magnesium	4.7		1.0 mg/L	1	09/30/22 13:37
Manganese	1.8		0.010 mg/L	1	09/30/22 13:37
Potassium	2.1		1.0 mg/L	1	10/05/22 12:36
Sodium	1.1		1.0 mg/L	1	10/05/22 12:36

**METALS HARDNESS**

**SM 2340B-2011**

**(SW3005A)**

Hardness, Calcium/Magnesium (As CaCO3)	58		6.6 mg/L	1	09/30/22
--	----	--	----------	---	----------

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

StateCertNo: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Westville Landfill

**Lab ID:** 2214197-003H  
**Client Sample ID:** MW-3 (Filtered)

**Location:**

**W Order:** 2214197  
**Matrix:** NPW

**Collection Date:** 09/01/22 12:15  
**Date Received:** 09/01/22 14:46

Analyte	Result	Qual	PQL	Units	DF	Date Analyzed
<b>TOTAL METALS BY ICP</b>			<b>SW6010C</b>		<b>(SW3005A)</b>	
Cadmium	ND		0.010	mg/L	1	09/30/22 13:42
Calcium	14		1.0	mg/L	1	09/30/22 13:42
Iron	20		0.050	mg/L	1	09/30/22 13:42
Lead	ND		0.010	mg/L	1	09/30/22 13:42
Magnesium	4.3		1.0	mg/L	1	09/30/22 13:42
Manganese	1.6		0.010	mg/L	1	09/30/22 13:42
Potassium	1.8		1.0	mg/L	1	10/05/22 12:41
Sodium	ND		1.0	mg/L	1	10/05/22 12:41

**Qualifiers:**

* Value may exceed the Acceptable Level	B Analyte detected in the associated Method Blank
E Value exceeds the instrument calibration range	H Holding times for preparation or analysis exceeded
J Analyte detected below the PQL	ND Not Detected at the Practical Quantitation Limit (PQL)
P Prim./Conf. column %D or RPD exceeds limit	S Spike Recovery outside accepted recovery limits

**- - LABORATORY ANALYSIS REPORT - -**

*Westville Landfill Constable, NY*

Sample ID: Filter Blank LSL Sample ID: 2214197-004

Location:

Sampled: 09/01/22 0:00 Sampled By: NJW

Sample Matrix: QC/DI

Analytical Method	Prep Method	Prep Date	Analysis Date & Time	Analyst Initials
Analyte	Result Units			
(1) EPA 6010C Soluble Metals	EPA 3005A			
Please refer to the next page				MT
<i>The NYS DOH ELAP does not offer certification for this method.</i>				
(2) Filtering Fee				
Laboratory filtration charge			9/1/22	NJW



Life Science Laboratories, Inc.

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

Analytical Results

StateCertNo: 10248

CLIENT: Life Science Labs-LIMS  
Project: Westville Landfill

Lab ID: 2214197-004A  
Client Sample ID: Filter Blank

Location:

W Order: 2214197  
Matrix: QC

Collection Date: 09/01/22 0:00  
Date Received: 09/01/22 14:46

Analyte	Result	Qual	PQL Units	DF	Date Analyzed
TOTAL METALS BY ICP			SW6010C	(SW3005A)	
Cadmium	ND		0.010 mg/L	1	09/30/22 13:46
Calcium	ND		1.0 mg/L	1	09/30/22 13:46
Iron	ND		0.050 mg/L	1	09/30/22 13:46
Lead	ND		0.010 mg/L	1	09/30/22 13:46
Magnesium	ND		1.0 mg/L	1	09/30/22 13:46
Manganese	ND		0.010 mg/L	1	09/30/22 13:46
Potassium	ND		1.0 mg/L	1	10/05/22 12:47
Sodium	ND		1.0 mg/L	1	10/05/22 12:47

- Qualifiers:
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



# Life Science Laboratories, Inc.

## CHAIN OF CUSTODY RECORD

2214197

5269

Due Date: Westville Landfill

Central Lab  
Finger Lakes Lab  
16 N Main St, PO Box 424  
Wayland, NY 14572  
Ph# 716-728-3320  
Fax# 716-728-2711

North Lab  
131 St. Law Ave  
Waddington, NY 13694  
Ph# 315-388-4476  
Fax# 315-388-4061

Report Address: WESTVILLE LANDFILL  
 Name: WESTVILLE LANDFILL  
 Company: TRISDER ASSOCIATES  
 Street: 113 MAIN ST  
 City/State: WAYLAND, NY Zip: \_\_\_\_\_  
 Phone: 315-388-8547 Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_

Turnaround Time:  Normal  Pre-Authorized  3-Day\*  7-Day\*  
 14 DAY  Next Day\*  2-Day\*  
 \*Additional Charges may apply

Date Needed or Special Instructions: \_\_\_\_\_

Authorization or P.O. # \_\_\_\_\_

Federal WS ID # \_\_\_\_\_

Client's Sample Identifications	Sample Date	Sample Time	Type grab/comp	Matrix	Preserv Added	Containers		Analyses	Preserv Check	LSL ID#
						#	size/type			
MU-1	9/1/22	12:45pm	Grab	NPW	H <sub>2</sub> SO <sub>4</sub>	1	La	T-Phenols	✓	001A
					None	1	LP 500mlp	BOD, TDS		001B
					None	1	250mlp	Sulfate, Nitrate, Bromide, Chloride(1)		001C
					None	1	250mlp	Alkalinity		001D
					HNO <sub>3</sub>	1	250mlp	Metals, T. Hardness (Unfiltered)	✓	001E
					H <sub>2</sub> SO <sub>4</sub>	1	250mlp	COD, TKN, NH <sub>3</sub>	✓	001F
					H <sub>2</sub> SO <sub>4</sub>	1	40 voa	TOC	✓	001G
					HNO <sub>3</sub>	1	250mlp	Metals (Filtered)	✓	001H
**Samples Must be Received on Ice** LSL use only: <u>OSANTHOOL</u>										
Custody Transfers Sampled By: <u>Kevin L. ...</u> Relinquished By: <u>Kevin L. ...</u> Relinquished By: <u>Kevin L. ...</u> Shipment Method: _____ Containers this C-O-C: <u>1N 7C</u>										
Date: _____ Time: _____ Received By: _____ Rec'd for Lab By: <u>SAM</u> Received Intact: <input checked="" type="checkbox"/> N Sample Temp: <u>17.46</u> Sample Temp: <u>2.9</u>										

\*\*\* All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ONLY\*\*\*

Routine Parameters



# Life Science Laboratories, Inc.

## CHAIN OF CUSTODY RECORD

2214197

Due Date:  
WestvilleLandfill

5269

North Lab.  
131 St. Law Ave  
Waddington, NY 13694  
Ph# 315-388-4476  
Fax# 315-388-4061

Central Lab  
Finger Lakes Lab  
16 N Main St, PO Box 424  
Wayland, NY 14572  
Ph# 716-728-3320  
Fax# 716-728-2711

**Report Address:**

Name: WESTVILLE LANDFILL  
 Company: FISDER ASSOCIATES  
 Street: 113 MAIN ST.  
 City/State: CANTON NY  
 Phone: 315 586-8542  
 Email:

9/19

Turnaround Time  
 Normal  Pre-Authorized   
 14 DAY  Next Day\*  3-Day\*   
 2-Day\*  7-Day\*

Date Needed or Special Instructions:

Authorization or P.O. #

Federal WS ID #

**Routine Parameters**

Client's Sample Identifications	Sample Date	Sample Time	Type grab/comp	Matrix	Preserv Added	Containers		Analyses	Preserv Check	LSL ID#
						#	size/type			
MW-2	9/1/22	11:30am	Grab	NPW	H <sub>2</sub> SO <sub>4</sub>	1	La	T-Phenols	LZ	002A
					None	1	LP 500mlp	BOD, TDS		002B
					None	1	250mlp	Sulfate, Nitrate, Bromide, Chloride		002C
					None	1	250mlp	Alkalinity		002D
					HNO <sub>3</sub>	1	250mlp	Metals, T. Hardness (Unfiltered)	<2	002E
					H <sub>2</sub> SO <sub>4</sub>	1	250mlp	COD, TKN, NH <sub>3</sub>	<2	002F
					H <sub>2</sub> SO <sub>4</sub>	1	40 voa	TOC	<2	002G
					HNO <sub>3</sub>	1	250mlp	Metals (Filtered)	<2	002H
Sample Preserved Upon Receipt at Lab										

\*\*Samples Must be Received on Ice\*\*

LSL use only.

OSANTOCL  
 (1N 7C)  
 Containers this C-O-C

Sampled By: Kenneth Thompson  
 Relinquished By: Kenneth Thompson  
 Relinquished By:  
 Shipment Method:

Custody Transfers  
 Received By:  
 Received By:  
 Rec'd for Lab By: SAM  
 Received Intact:  N  
 Date: 9/1/22  
 Time: 14:46  
 Sample Temp: 20.9

\*\*\* All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ONLY\*\*\*

Routine Parameters



# Life Science Laboratories, Inc.

## CHAIN OF CUSTODY RECORD

2214197

Due Date:

5269

Westville Landfill

North Lab  
131 St. Law Ave  
Waddington, NY 13694  
Ph# 315-388-4476  
Fax# 315-388-4061

Finger Lakes Lab  
16 N Main St, PO Box 424  
Wayland, NY 14572  
Ph# 716-728-3320  
Fax# 716-728-2711

**Report Address:**

Name: WESTVILLE LANDFILL  
 Company: WESLEY ASSOCIATES  
 Street: 113 MAIN ST.  
 City/State: CANTON NY  
 Phone: 315 386-8542  
 Email:

9/19

Turnaround Time  
 Normal  Pre-Authorized   
 14 DAY  Next Day\*  3-Day\*   
 2-Day\*  7-Day\*

Date Needed or Special Instructions:

Authorization or P.O. #

Federal WS ID #

**Routine Parameters**

Client's Sample Identifications	Sample Date	Sample Time	Type grab/comp	Matrix	Preserv Added	Containers		Analyses	Preserv Check	LSL ID#
						#	size/type			
MW-3	9/1/22	12:05 pm	Grab	NPW	H <sub>2</sub> SO <sub>4</sub>	1	La	T-Phenols	L2	003A
					None	1	LP 500mlp	BOD, TDS		003B
					None	1	250mlp	Sulfate, Nitrate, Bromide, Chloride		003C
					None	1	250mlp	Alkalinity		003D
					HNO <sub>3</sub>	1	250mlp	Metals, T. Hardness (Unfiltered)	L2	003E
					H <sub>2</sub> SO <sub>4</sub>	1	250mlp	COD, TKN, NH <sub>3</sub>	L2	003F
					H <sub>2</sub> SO <sub>4</sub>	1	40 voa	TOC	L2	003G
					HNO <sub>3</sub>	1	250mlp	Metals (Filtered)	L2	003H
Filter Blank	9/1/22	08:00			↓	↓		Sample Preserved Upon Receipt at Lab	L2	004A

\*\*Samples Must be Received on Ice\*\*

LSL use only:

OSentech

1N  
1C

**Custody Transfers**

Sampled By: \_\_\_\_\_  
 Relinquished By: \_\_\_\_\_  
 Relinquished By: \_\_\_\_\_  
 Shipment Method: \_\_\_\_\_

Received By: \_\_\_\_\_  
 Received By: \_\_\_\_\_  
 Rec'd for Lab By: YAM  
 Received Intact:  N

Date: \_\_\_\_\_  
 Time: \_\_\_\_\_  
 9/1/22 14:46  
 Sample Temp 2.9

Containers this C-O-C

\*\*\* All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ONLY\*\*\*

Routine Parameters

01/20